

伸銅品

黃銅 C2700

▶比重 8.47




銅(Cu)63~67%、亜鉛(Zn)約35%配合で、押し広げ性・曲げ性・めっき性・深絞り加工性に優れています。カメラ・カーテンレール・衛生管などに使用されております。



伸銅品

黃銅 丸パイプ



各種サイズ		長さ(mm)	調質	備考
寸法(a × t mm)				
2.0	× 0.25	2,000	◇	
	× 0.3		◇	
	× 0.5		◇	
2.3	× 0.3	2,500	◇	
2.5	× 0.4		◇	
3.0	× 0.5		◇	
	× 0.3		◇	
	× 0.4		◇	
	× 0.5		◇	
	× 0.6		◇	
	× 0.75		◇	
4.0	× 1.0		◇	
	× 0.4		◇	
	× 0.5		◇	
	× 0.6		◇	
	× 0.8		◇	
4.5	× 1.0		◇	
	× 0.5		◇	
5.0	× 0.5		◇	
	× 0.6		◇	
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
6.0	× 0.5		◇	
	× 0.6		◇	
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
6.35	× 0.5		◇	
	× 1.0		◇	
6.5	× 0.5			
7.0	× 0.5		◇	

◇ 手配品

黄銅 丸パイプ

各種サイズ		長さ (mm)	調質	備考
寸法 (a × t mm)				
7.0	× 0.8	2,500	◇	
	× 1.0		◇	
	× 1.5		◇	
8.0	× 0.5	5,000	◇	
	× 0.8		◇	
	× 1.0		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
9.0	× 0.5	2,500	◇	
	× 0.8		◇	
	× 1.0	5,000	◇	
	× 1.5		◇	
9.53	× 0.5	5,000	◇	
	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
10.0	× 0.5	2,500	◇	
	× 1.0		◇	
	× 1.0	5,000	◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
10.5	× 0.5	2,500	◇	
	× 2.0	5,000	◇	
11.0	× 0.5	2,500	◇	
	× 1.0	5,000	◇	
	× 1.5		◇	
12.0	× 0.5	2,500	◇	
	× 0.8	5,000	◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
12.7	× 0.5	2,500	◇	
	× 0.8	5,000	◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
13.0	× 0.5	2,500	◇	
	× 1.0	5,000	◇	
	× 1.5		◇	
	× 2.0		◇	
13.8	× 2.3		◇	

◇ 手配品

黄銅 丸パイプ

各種サイズ		調 質	備 考
寸 法 (a × t mm)	長 さ (mm)		
14.0	× 0.5	2,500	◇
	× 0.8	5,000	◇
	× 1.0		◇
	× 1.2		◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
15.0	× 0.5	2,500	◇
	× 1.0	5,000	◇
	× 1.2		◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
15.88	× 0.5		◇
	× 0.8		◇
	× 1.0		◇
	× 1.2		◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
16.0	× 0.5	2,500	◇
	× 1.0	5,000	◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
17.0	× 0.5	2,500	◇
	× 1.0	5,000	◇
17.3	× 2.3		◇
18.0	× 0.5	2,500	
	× 1.0	5,000	◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
19.0	× 0.5	2,500	◇
	× 0.8	5,000	◇
	× 1.0		◇
	× 1.2		◇
	× 1.5		◇
	× 2.0		◇
	× 3.0		◇
20.0	× 0.5	2,500	◇
	× 1.0	5,000	◇
	× 1.2		◇
	× 1.5		◇
	× 2.0		◇
	× 2.5		◇
	× 3.0		◇
21.7	× 2.8		◇
22.0	× 1.0		◇

◇ 手配品

黄銅 丸パイプ

各種サイズ		長さ (mm)	調質	備考
寸法 (a × t mm)				
22.0	× 1.5	5,000	◇	
	× 2.0		◇	
	× 3.0			
22.23	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
24.0	× 1.0		◇	
25.0	× 0.5	2,500 5,000		
	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
25.4	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
27.2	× 2.8		◇	
28.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
28.58	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
30.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 5.0		◇	
31.75	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
32.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
34.0	× 3.2		◇	
35.0	× 1.0		◇	
35.0	× 1.5		◇	

◇ 手配品

黄銅 丸パイプ

各種サイズ		長さ (mm)	調質	備考
寸法 (a × t mm)				
35.0	× 2.0	5,000	◇	
	× 2.5		◇	
	× 3.0		◇	
	× 5.0		◇	
38.1	× 0.8		◇	
	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 2.5		◇	
	× 3.0		◇	
	× 4.0		◇	
40.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 4.0		◇	
	× 5.0		◇	
42.0	× 1.0		◇	
42.7	× 3.5		◇	
44.45	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
45.0	× 1.0		◇	
48.6	× 3.5		◇	
50.0	× 1.0		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
50.8	× 1.0		◇	
	× 1.2		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 4.0		◇	
	× 5.0		◇	
55.0	× 5.0		◇	
57.15	× 2.0		◇	
	× 3.0		◇	
	× 4.0		◇	
60.0	× 1.0		◇	
	× 1.5		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
60.5	× 3.8		◇	
63.5	× 1.5		◇	

◇ 手配品

黄銅 丸パイプ

各種サイズ		長さ (mm)	調質	備考
寸法 (a × t mm)				
63.5	× 2.0	5,000	◇	
	× 3.0		◇	
65.0	× 3.0		◇	
	× 5.0		◇	
70.0	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
76.2	× 5.0		◇	
	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
80.0	× 3.0		◇	
	× 4.0		◇	
	× 5.0		◇	
82.5	× 3.0		◇	
85.0	× 5.0		◇	
88.9	× 2.0		◇	
	× 3.0		◇	
	× 5.0		◇	
90.0	× 5.0		◇	
95.0	× 3.0		◇	
	× 5.0		◇	
101.6	× 2.0		◇	
	× 3.0		◇	

◇ 手配品